New Texan collection 1845
A-Gray - August. 1846

No. 476 Buddleia, is a new
sp. - not in Benth. Lindh. -
we will call it ~~B. glabra~~
B. racemosa.

" 500
337 } same sp. — new to me. Polygala

420 same as 421? poor specimen.

421 Polanisia trachysperma, probably
P. uniglandulosa?

299. Vesicaria gracilis. Yes.

300 V. grandiflora (more pinnatifid)

301-5 require study, aided by specimens in herb.
Torrey.

317. Delphinium

306. E. Arkansanum.

292 = The barberry mentioned in Flora N. Amer.
p. 662. — I believe still undescribed.
glad to see flowers & fruit.

318. C. Drummondii. New plant.

407. New Ceanothus,

405 Rham. Ignavus. gen.!

400 Zanthox. Clava-Herculis.

511 Negundo aceroides.

514 Sapindacea, new to me.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

504. Sida - I have a fragment
from another source
- I will study all the Malvaceæ - along
with specimens that have come from Texas
by Wright & Others.

411 New, if diff. from no
410 - which is Malva pedata.
407 right. what is meant?
401 var of Rhus Toxicod.?
307 New to me..
461 Linum Berlandieri.
278 Linum multicaule
462 L. new to me.
477 Passyphia setacea
332 New to me.
365 Sophora affinis. Jun. Syn.
366 " tarda uniformis, n. sp." - fruit unlike.
Is it truly diff from S. Affinis.?
509 } Cassia, new both to me
508 }
453. new to me, neither flowers nor fruit,
497. new to me, Mimosa?
342. Psoralea floribunda Vidotus.
499 & 402 Eysenhardtia, qu!
496. Stev, aff Dalea pectinata
450 Lythrum californicum !! looks new.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

271. Rudb. Missouriensis.
502 R. Lanceii.
273.b. Grass with Bracunis pteronus.
spec. of Grindelia, Nuttall. -

472. New to me.
359. New, if white flowers. Have you specs in fruit?
436 Artemisia caudata.
471 A. — var. of dracunculoides?
356 } Asphondylium Riddellii —
435 }
434 Eriogon (Phalacroloma) aff. tenue.
351 Gaillardia aristata var. M. " =
new and singular! (G. Cascosa ~~petiolata~~ Nelius.
490. Perfectly new to me.
345 Liatris chaetata Texana, / with fruit)
Nov? Viguiera, new to our Flora.
432. Congener of 490. New.
353 Vernonia ~~Baldwinii~~ Noveboracensis. var. M. " perfectly new to me.
354. V. fasciculata
433. Kuhnia eupatorioides. var.
438 Both new to me.
439
5-21 Kuhnia eupatorioides. var.
444 Aster carneus. var.
445

447 Aster paricus,
446. A. Drummondii?
383. (a. h.) Bolivania — (in Dunn. coll.)
519. Gilia incisa. (In Polemoniaceæ? Shall soon study for Flora. N. Amer.
308 Erythræa
— to of the other Monopetalæ generally

The Hydrophyllaceæ I take up in a week or two.

381. "Gratiola a cuminata" = Herpestis nigrescens, Pl. Lindh.! but it is H. chamædryoides. Benth.
350 Physostegia canescens,
442. 3. Hedeoma pennoralis
" b — do
" a — Radula?
" c ? ?
440 Gymnosperma: good
360 Brachycome xanthoc. (I will examine!)
no. number. "Specularia" = a plant of Nutt. allis.
386. Aletris!
399 is in Dunn. Coll. without leaves.
406. new to me.
458 Lepidanthus. Nutt.
391. real Galpsimia!
329. Castilleia purpurea!

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Texan Collection.

Distributed May 1850

		Curtis	Chapman	Smithsonian	Ph. Cassopt	Edelman	Tuckerman	Durieu	Torrey	L. Canby	Gerschaul	C. Wheelock	Wilkinson	Mackintosh	Fairchild	Ingram	Dietrich	Thurmond	Wheelock
		42	36	16	33	77	22	19	19	34	39	91	39	22	38	23	27	50	37
	Thalictrum Cornuti, Houston			1									1		1				
321	Delphinium virescens var alb. Fl. Br.	1	1		1													1	
	D azureum Br.	—		1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	
575	Berberis trifoliolata Moric	1	1	—	1	1		1		1	—	—	—	—	—	—	—	1	
324	Erysimum Arkansanum.	1	1		1	1	1	1		1	1	1	1	1	1	1	1	1	1
331	Vesicaria gracilis	1	1	—	1	1	1	1	1	1	1	—	1			1	1	1	
	V. grandiflora var	1	1	1	1													1	
330	V. lenuata E.	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
332	Blennosperma tenuissimum	1	1		1	1	—	—		1	1	—	1	—	—	—	—	1	
	Hypericum nudiflorum var. sidereum	—	—	1			—	—	—	—		1	1	—	1	—	—		1
335	Paronychia Lindheimeri E	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
336	Stellaria prostrata	1	1	—	1	1	1	1	—	1	1	1	1		1		1	1	
	Silene Antirrhina 1846	—	—	1	—	1	—	—	—	1	1	1	—	1	1	—	—	1	1
	Mollugo verticillata	—	—	1	—	10	1	—	—	1	1	1	1	1	1	1	1	1	1
579	Talinum aurantiacum E	1	1	—	1	1	1	1	1	1	1		1	1	1		1	1	
340	Lindera Texana Alg.	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Genus carolinianum —	—	—	1		00	1	—		1	1	1	1	1	1	1	1	1	1
342	Hedistraemia angustifolia	1	1	—	1		1		1	1		1		1		1	1	1	
344	Abies (Apollonia) ovalis Carr.	1			1	—	—	—	—	1	—	—	—	—	—	—	—	1	1
347	Ab. bifoliata	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
	Ab. Texasiodendron, mollis			1		1	—	—	—	1	—	—	—	—	—	—	—	1	1
583	Pinus physocleya A Gr.	1	1		1	—	—	—	—	1	1	—	—	1		1		1	
584	Callitrus digitata A Gr.	1	1	—	—	—	1	1	—	1	1	1	1	1		1		1	1
585	Hermannia Texana A Gr.	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
25	Malvaviscus Drummondii	1		1	1	—	—	—	—	—	—	—	—	1				1	
352	Abronia Wrightii A Gr.	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
354	Abutilon holosericeum Gray	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
310	Malvastrum Wrightii A Gr.	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
358	Vitis rupestris Scheele	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	Vitis vulpina L.	—	1	—	1	—	—	—	—	1	1	1	1	1	1	1	1	1	1
360	Negundo aceroides Mœnch.	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	1	1
586	Negundo spurium Endl.	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348	Rhus virens Lindh.	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
587	Sapindus marginatus W.	1	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	1	1
226	" " pubescens	—	1	10	—	—	—	—	—	—	—	—	1	1	1	1	—	—	
	Cardiospermum Halicacabum		1	10						1	1	1	1	—				1	1
364	Zizyphus obtusifolia Gray	1	1		1				1	1	1	1	—	1				1	1
367	Rhamnus retusus Benth	1	1						1		1							1	
29	Rhynchosia simplicifolia	—	—	1	—	—	—	—	—	—	—	1	1	1	1	—	—	—	1
370	Galactia canescens	1	1	—	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1
591	Gal. heterophylla A Gr.	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
374	Tephrosia Lindheimeri A Gr.	1	1	—	1	—	—	—	1	1	1		1		1	1	1	1	1
372	Psoralea cuspidata	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	1
373	P. floribunda	1	1			1				1	1	1	1	1		1	1	1	
593	P. cyphocalyx A Gr.	1	1	—	1	1	—	—	1	1	1	—	—	1	—	—	—	1	1
595	Amorpha fruticosa var Lewisii																	1	1
374	Eysenhardtia amorphoides	1	1	—	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1
375	Dalea lagopiflora	1	1	—	—	—	—	—	—	1	1	1	1	—	1	—	—	1	1
29	D. aurea	1																1	
	Schkuhria multiflora	—	—	1								1							1
598	Astragalus crassicarpus	1	1	—	1	—	1	1	—	1	1	1	1	1	1	1	1	1	1
379	Vicia leucophylla	1	—	—	1	8	1	—	—	1	1	1	1	1	1	1	1	1	1
601	Lupinus affinis	1	1	—	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1
602	L. speciosus Benth	1	1	—	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1
380	Cassia Lindheimeriana Scheele	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Acacia hirta	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Neptunia lutea	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
233	Algarobia glandulosa	—	—	1	—	—	1	—	—	1	1	1	1	1	1	1	1	1	1
382	A. 2 flowered	1	1	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

	Cu	Ch	Sm	Ph	Leb	Sc	Da	To	Ca	Gr	CH S	W S	Ke	Re	Ry	Bi	Lem	S
	43	36	21	39	86	18	17	27	14	35	38	31	22	36	28	23	39	45
234 Schrankia angustata	1	1															1	
383 Mimosa Lindheimeri Gr.	1	1		1				1									1	
385 Desmanthus velutinus Chapt	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
602 Acacia Roemeriana Scheele	1	1		1				1									1	
605 A. R. glabrata	1	1	—	1	—	—	—	1	1	1	1	1	1	1	1	—	1	1
606 Mimosa pygmaea A Gr.	1	1	—	1	—	1	—	1	1	1	1	1	1	1	1	—	1	1
608 Rosa foliolosa	1	1	—	1	—	—	—	—	1	1	—	1	—	1	—	—	1	1
Prunus serotina	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1
389 Pr. rivularis	1	1	—	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1
Cercis canadensis			1															
Castanea vesca Willd			1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
610 Lythrum alatum Pursh	1	—	—	1	—	—	—	1	—	1	1	1	—	1	—	—	1	1
" " Lanceolatum	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	1	1
Ammannia latifolia Michx	1	—	1	—	—	—	—	1										
391 Oenothera Missouriensis	1	1	—	1	12	1	1		1	1	1	1	1	1	1	1	1	1
O. Lamarckiana	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55 O. speciosa	1	1	—	1	10	1	1	—	—	1	1	1	1	1	1	1	1	1
394 O. serrulata pinnatifida	1	1	—	1	—	—	—	1	1	1	1	1	—	1	—	—	1	1
611 Gaura suffulta Engl	1	1	—	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1
241 G. parviflora	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	1
60 G. sinuata	1	1	—	1	1	—	—	—	—	1	1	1		1	1	—	1	1
240 G. Drummondii	1	1		1	—	—				1				1			1	1
239 G. longiflora	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
243 Jussiaea ovalis Dietr	1	1	1	—	—	—	1	—	—	—	1	1	1	1	1	1	—	1
58 Ludwigia Curtissii Robins	—	—	1	—	—	—	—	—	—	—	—	1	—	1	1	1	—	1
Proserpinaca pectinata	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
397 Cicendia pusilla	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
613 Hydrocotyle repanda	1	1	—	1	—	1	—	—	—	1	1	1	1	1	1	1	1	1
615 Sicyos parviflorus	—	—	—	—	—	1	—	—	—	1	1	1	1	1	1	1	1	1
616 Chaerophyllum Texanum P.	1	1	—	1	1	1	—	—	1	1	1	1	1	1	1	1	1	1
405 Ahrena americana	1	1	—	1	—	—	—	1	1	1	—	—	—	1	—	—	1	1
403 Erigia decumbens Nutt	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
404 Dasystoma flavicalycina Engl	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hydrocotyle umbellata	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1
" interrupta	—	—	1	—	—	—	—	—	—	1	1	1	—	1	1	—	1	1
Lonicera albiflora Torr	1	1	1	1	1	—	—	1	1	1	—	—	—	—	—	—	—	1
Cephalanthus occidentalis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
618 Gaillardia virgata Nutt	1	1	—	1	10	1	1	1	—	1	1	1	1	1	1	1	1	1
247 Bidens tricosa	1	1	1	1	1	1	1	1	—	1	1	1	1	1	1	1	1	1
620 Hedyotis stenophylla	1	1	—	1	12	1	1	—	—	1	1	1	1	1	1	1	1	1
407 Tecoria stenocarpa Engl	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Vernonia noveboracensis Willd var	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	
408 Vernonia Lindheimeri Engl	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Liatris punctata Hook	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
412 Aristeller cylindracea Engl	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
409 Florigera Riddellii	1	1	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
411 Krigia Engelmanni Sprengel var Gracilens	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
413 Engelmannia agaratifolia A. Gray	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Engelmannia cardinensis	—	—	1	—	—	—	—	—	—	1	1	1	—	1	1	1	1	1
623 Aster spinosus	1	1	—	1	—	—	—	1	—	1	1	—	—	—	—	—	1	1
624 A. carneus subsp	1	1		1		—	—	—		1	1			—	—		1	
A. ericoides	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
414 Eclipta alba Hassk var	1	1		1				1		1								
625 Baeharis Texana	1	1	—	1	—	—	—	1	1	1	1	—	1	1	—	—	1	1
628 Keerlia bellidifolia Engl	1	1	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—
629 K. Texana Engl	1	1	—	1	—	—	—	1	1	1	1	—	1	1	1	1	1	1
416 Gymnosperma corymbosum	1	1	—	1	1	1	1	—	1	1	1	1	1	1	1	1	1	1
80 Gutierrezia Texana	—	—	1	1	—	—	1	—	—	—	1	1	1	1	1	1	1	1
253 Leptopappus divaricatus	1	—	1	1	10	—	1	—	—	—	1	1	1	1	1	1	—	1
254 L. Hookerianus	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

	Cu	Ch	Sm	Ph	Le	Se	Da	To	Ca	Fr	CHS	WS	Ke	Re	Ry	Bi	Ken	15
252. Solidago angustifolia	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1
631 Chrysopsis hispida var. sharpii	1	1	-	1	-	-	-	1	-	1	1	1	-	1	1	1	1	1
632 Filaginopsis multicaulis	1	1	-	0	10	1	1	1	1	1	1	1	1	1	1	1	1	1
633 Diapensia prolifera	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
634 Packera anonymous	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1
635 ——— ?	1	1	-	1	-	-	-	1	1	1	1						1	1
Plankea foetida	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
422 Amphiachyris dracunculoides	1	1	-	1	10	1	1	1	1	1	1	1	1	1	1	1	1	
637 Polymnia Uvedalia	-	-	-	-	-	-	-	-	-	1	1	—	—	—	—	—	1	1
92 Berlandiera [illegible] var. Drummondii	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	
423 B. Texana	1	1	-	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
638 Lindheimera Texana	1	1	-	1	-	1	-	1	1	1	1	-	-	-	-	-	1	1
425 Engelmannia pinnatifida	—	—	1	-	-	-	1	-	-	1	—	—	1	-	1	-	1	
427 Rudbeckia angustifolia	1	1	-	1	-	-	-	1	-	-	1	—	—	—	—	—	1	
428 Ambrosia aptera	1	1	-	1	-	-	-	1	-	-	1	-	—	—			1	-
642 Aphanostephus columbianus	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
432 Aldama uniseriata	1	1	-	1	-	-	-	1	-	1	1	-	-	1	-	-	1	1
433 Simsia calva	1	1	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1
434 Viguiera brevipes	1	1	-	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1
259 Helianthus [illegible] Linn.	-	-	-	1	—	—	—	—	—	—	1	—	—	—	—	—	1	
101 Coreopsis Drummondii	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1
435 Bidens chrysanthemoides	—	—	—	-	-	-	-	-	1	1	1	-	1			1	1	
265 Xyloda Engelmanni	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
644 Hymenoxys Wrightii	1	1	-	1	-	-	-	1	1	1	1	1	1	1	-	1	1	1
646 Hymenoxys texana	1	—	-	-	-	-	-	1										
103 Gaillardia pinnatifida	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1
1036. G. p. var. A. Br.	1	1	-	1	-	-	1	1	-	1	1	-	-				1	1
266 Palafoxia Hookeriana	-	-	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
438 Hymenopappus [illegible]	1	1	-	1	-	-	1	1			1						1	
648 Actinella linearifolia	1	1	-	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1
645 Helenium autumnale var.	1	1	-	1	-	1	-	1	-	1	1	1	1	1	1	1	1	1
109 Leptopoda brachypoda	-	-	1	1	-	-	-	-	-	-	1	1	1	1	1	1	-	1
649 Achillea Millefolium	1	1	-	1	1	-	-	-	-	-	1	1	1	1	1	1	1	1
440 Artemisia dracunculoides	1	1	-	1	-	-	-	-	-	-	1	1	1	-	1	1	1	1
442 A. ludoviciana	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1
Gnaphalium polycephalum	—	—	1	—	10	-	-	-	-	-	1	1	1	1	1	1	1	-
Senecio Riddellii	—	—	1	1				1										
446 Zexenia nutans	1	1	-	1	10	1	1	1	1	1	1	1	1	1	1	1	1	1
650 Pinnapappus roseus	1	1	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1
	25	24	8	25	63	11	10	23	13	21	37	20	15	22	19	18	25	29
	43	36	21	39	86	18	17	27	19	35	38	31	22	36	28	23	39	45
	42	36	16	33	77	22	19	19	34	39	31	39	22	38	23	27	50	37
	110	96	45	97	226	51	46	69	66	95	106	90	59	96	70	68	114	111

226

16 15

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Ca Ch Sm Ph Le Se Da To Ca Gr C H S W S Kl Ac Ag Ar Le

Lindheimers Sammlung 1849 & 1850

Alles à 5.00 Dreimalliegen

338. Clematis Drummondii Torr. Gr. .50
360 Delphinium virescens Nutt .50
260:421 Vicia ciliata Engelmann Gr. .50
266 V. gracilis Hook .50
448 Dalea emarginata Nutt .. 50
462 Lepidium Virginicum .50
344 Lactuca canadensis .50
173 Parosela dichotoma Nutt. .. 50
304 Malvastrum Wrightii A Gr .. 50
295 Malvastrum coccineum A Gr. .. 50
350. Abutilon Texanum T & Gr. 50
392 Parosela Wrightii A Gr. .. 50
108. 324 Malvastrum Texanum T & Gr 50
76 Linum rigidum L 50
365 L. Berlandieri Hook. .. 50
3 Acacia Texana A Gr .. 50
452 Rhus copallina var. lanceolata DC 50
480 Rh. virens Lindh. 50
312 Vitis estivalis var. .. 50
13. Vitis rupestris Scheele .. 50
307 Vitis cinerea Engl. .50
~~348 Vitis indivisa Willd .50~~
424 (283) Columbina Texana A Gr .. 50
293 Cordia obovata .. 50
387 Rhus radicans .50
69. Gilliesia Graminea A Gr .. 50
423 Cassia Roemeriana DC .. 50
(80 feet of Kinnie Cemetery .. —)
486 Rhynchosia minima DC 50
398 Leclania marcrapa M. 50
281 Indigofera Leptosepala Nutt. .. 50
291 Psoralea rhombifolia T & Gr .. 50
44 Cs. typhoralyx A Gr. .. 50
245 Gymnolomia amorpha .. 50
78 Dalea lanuginosa .. 42
(253 D. aurea .. 30)
394 Astragalus Nuttallianus (3) .40
D. trichocarpa

400 Astragalus carnosipes Kn .. 50
494 Cassia Lindheimeriana Schl .. 50
335 C. Roemeriana Sch. .. 50
278 Algarobia glandulosa H & .. 50
26 Mimosa fragrans A Gr. .. 50
68 Schrankia platycarpa A Gr .. 50
129 Vaseyana Cotea Buckl .. 30
25 Acacia Roemeriana Schl .. 25
426 Cassia amentacea var nitida .. 40
403 C. roseana Schrank .. 50
22 Cassia corymbosa DC .40
443 Rubus trivialis Mich .. 45
248 Lythrum alatum var. linifolium .. 50
368 Oenothera pinnatifida var. crecta .. 50
409 O. speciosa Nutt. .. 50
119 O. Missouriensis .. 25
42 Gaura suffulta E. .. 40
41 G. Drummondii 40
315 G. pinnatifida .25
397 Jussiaea ovalifolia 50
241 Ludwigia sphaerocarpa .. 50
418 Sanicula marylandica L. .50
451 Eryngium Leavenworthii T & Gr. .. 50
310 Daucus Carota L & G .. 50
491 Chaerophyll Texanum .. 50
430 Ptilimnium capillaceum DC .. 50
318 Cornus stolonifera Mx .. 50
297 Callirhoe involucrata .. 50
456 Fedia stenocarpa Engl .. 50



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Lindheimers Sammlung 1849 & 1850

Hrn Gustav Dr. Pflanzen

383	Clematis ternifolia gr. sp.	„ 40	432	Vachellia minor n. sp.	„ 20
R 57.					
384	Cl.	„ 10	401	Prosopis viridiflora E.	„ 40
435	Ran. macranthus	„ 20	101	Lythrum alatum var. oblifolium	„ 40
				= Dr. 69.	
433.	Corydalis [illegible] siliqua	„ 40	(30 L. alatum linearifolium	„)	
367	Desmanthus virgatus Gr.	„ 30	272	Oenothera serrulata Spielart	„ 40
	= No 329 Rl.			= Dr. 393	
464	Streptanthus petiolaris Gr.	„ 20	43	Gaura gracilis Dr.	„ 30
	gr = 323 Rl				
19	Sh. Bartletus Gr.	„ 10	100	Stenosiphon linifolium var. Bartletus	„ 30
457. 460. 461	Lyc. [illegible] Cestroides	„ 40	126	Menodora viridis var.	„ 40
285	Viola	„ 30	419	Linum Carteri Dr.	„ 40
211	Mentzelia Oligospermum	= 28	174	Passiflora affinis E.	„ 40
	gr = 351 Rl.				
(192	Anoda hastata β. Texana	„ 0)	465	Melothria chlorocarpa E.	„ 40
130	Oxalis Vespertilionis Torr.	„ 40	135	Cassia tora	= Dr. 400 „
	gr = 341 Rl.				
339	Xanthoxylon Dipyrenum n. sp.	„ 40	257	Dichondra Lindheimeri	„ 30
425	Rhus microphyllum n. sp.	„ 40	79	Daucus carota	„ 40
16	Rhus trilobata Nutt.	„ 40	9	Linum albiflorum Torr.	„ 40
497	Vitis incisa Torr.	„ 40	203. 320	Symphoricarpos glaucus Spielart	E „ 40
364	Diospyros Texana Torr.	„ 40	(198	Gaillardia pelotata	(Nr L. 67) „ 20
0	Gutierrezia glutinosa	„ 20	42	Tecoma araneifera Lindh.	„ 50
286	Colubrina [illegible] Texensis	n. sp. „ 40			
6. 436	Casimiroa	„ 40			
427	Ungnadia speciosa	„ —			
439	Vitis Candicans var. Texana	„ 40			
361	V. Lindheimeri Torr.	„ 40			
	= Dr. 590				
412	Rhus aromatica var. glabra n. sp.	„ 40			
298	Rh. virens Lindheimeri	Rl. Nr. 30 „ 40			
303	Salpiglossis Atrosanguinea	„ 40			
455	Amorpha fruticosa = 395.	„ —			
296	A. glabrata	„ 40			
104	Salvia farinacea Torr.	„ 40			
258	Astragalus Lindheimeri E.	„ 30			
R.	A. Wrightii Gr.	— 40			
(178 a.	Desmod. —				
178 b.	D.				
(0	D. Wrightii	„ —)			
499	D.	„ 40			

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Inhalt der Kiste № II.

243 Rhus copallina Blätt 40. 40
Früchte 27. 27
244 Rhus — — — — — 3. 3
245 Rhus — — — — — — — 4. 5
246 Rhus — — — — — 1 1
247 Rhus — — — — — 2 2
mannbrüchig in d. Kist № 3. 4. 4
248 Rhus virens mihi Früchte 37 } 40
Blätter — — 3 }
249 Rhus? — — — — — 3 3
250 — — — — — — — — 34. 44
251 Xanthoxylum fraxin.? 3 0
252 Negundo aceriolia — — 50 45
253 Aesculus n.s.? vomitoria! 12 12
354 Sapindus marginatus — — 1 1
mannbrüchig in Kist № III 30 30
255 Oenothera Missouri. — — 12 12
mannbrüchig Früchte
256 Fuchsia occidentalis — — 25 25
257 Melastomacea — — 40 42
258 — — — — — — — — — — 19 9
259 Cassia n.s. — — — — — 6 6
260 Cassia n.s. — — — — — 10 10
261 Lesbania macrocarpa 12 33/11
262 Algarobia glandul. Früchte 32 32
Blätter — 16 15
mannbrüchig in Kist № III — 10 11
263 Leguminosa - Cabolo — — 60 50
264 Legum — — — — — 22 22
264a Legum: — — — — — 20 15
266 Legum — — — — — 16 15
267 Dalea Cassiflora — 18 18
Früchte mangelnd 45 45
268 Eysenhardtia — — 28 22
mannbrüchig in Kist № III. 5 5.
269 Mimosa dumosissima — — 3.5
270 Schrankia? — — 1 1

655

2 Dermanthus — — — 5. 10
mannbrüchig — — 12. 12
272. Darlingtonia — — — 6. 10
273 Mentzelia oligosperma 30 30
Mannbrüchig — 21. 25
353 Quer — — — — — — — — — — — — 7 —
354 — — — — — — — — — — — — — 30
355 — — — — — — — — — — — — — 2
356 — — — — — — — — — — — — — 3
357 — — — — — — — — — — — — — 35
358 — — — — — — — — — — — — — 10

Summa. 87

1 Brayonia scutellarioides
2 Dermanthus
3 Physalis
4 Mentzelia oligosperma
5 Rhamnus Texensis
6 Helianthus canticularis

d. 7 Dec. 42.

7 Berlandiera texana
8 Melastomacea n.s. 257. gemmul
9 Jatropha stimulosa
10 Cardiospermum halicacabum
11 Lantana camara?
12 Ipomopsis caroliniana
13 Eysenhardtia
14 Aesculus n.s.?
15 Oenothera serrulata
16 wurzel Lida n.s.
17 Rudbeckia
18 Yucca filamentosa mit Blüth.
19. Yucca filamentosa mit Blüth.
20 Talpinia Texana. n. 280

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Fortsetzung von Liste No III.

274. Fawkesia plumosa Small	5.	5.	305 Baccharis scandens Torr. & Gray	22	42
275. Sophora affinis Small	22	22	306 Lantana Camara	28	25
~~276. Lobelia nuttallii~~	~~24~~	~~24~~	307. Verbena bipinnatifida	25	25
276. Cercis reniformis Small	15	17	308 Teucrium — — —	3	4
277. Hendecandra texana ot	26.	27	309 Scutellaria	1.	0
229 Rhamnaceae	9	30 30	310 Salvia	12	15
278 Eriogonum		27. 29	311 Monarda	2	0
279		9 8	312 Solan. n. s.?	8	8
280 Chenopodiaceae		30. 30	313 Sol. texense	2	2
281 Atriplex?		14 14	314 Capsicum annuum	12	12
282 Rivinia		31	315 Solanaceae	15	16
283 Celosia		2 2	316 Cuscuta tryphyla	87	70
284		18 20	317 Cuscut.	20	22
285 Amaranthus		14 13	318	1	1
286 A.)		7 10	319 Convolv. n. s.?	24	25
286 B.)		28 29	320 Evolvolus	1	1
287. Klein Nyctaginea		4 3	321 Maurandia antyrrhinifl.	25	25
288 volle Nyctaginea Abronia		20 20	322 Gratiola ramosa	2	2
289 wilde Nyctaginea		17 17	323 Dyschoriste linearifl.	3	3 51
290 Euphorbia subfalcata		3 3	324 Ruellia?	34	25
291. a. b. c. Euphorb.		40 40	325 Ruellia	1	1
292. Klein Euphorb.		12 14	326 Salsola Yucca	1	1
293 Forsch Euph.		32 36	327 yr Yucca Cult.	12	12
294 wahrscheinlich dem 293		30 33	328 Yucca filament.	1	1
295 E. ebracteata		1 1	329 Tillandsia usneoides	10.	8
296 Salsola monogyna		21 20	330 Abutilon	3	3
297. a. Stenaria Croton? Hillebrandii		3 4	331 Habranthus	1	2
297 b.		2 2	332 Quercus virens	3	3
298 Tragia mit Salsola		1 1	333 Q. rubra?	1	1
299 Kleinere Tragia		30 30	334 Cardiospermum Halic.	12	15
300 Uebergang zwischen 298 u 299		45 38	335 Indigofera hirsuta	2	
301 Phyllanthus		24 21	336 Lythrum	2	2
302 Croton elliptic		26 24	337 Lythracea	40	35
303		2 2	338 Ammania latifolia	5	5
304 C. elliptic.		25 28 35 35	339 Ludwigia	9	9
		39 39			

678 469

340	Labatia?	—	35	40	
341	—	—	1	1	
342	Lobelia Dortmanna	—	14	14	
343	Asclepias	—	23	25	
344	Asclep. Lin.	—	6	5	
345	—	—	4	5	
346	Asclepias	—	2	3	
347	Asclep. ähnlich der vorigen		2	2	
348	—	—	24	27	
249	—	—	33	60	
350	Gonolobus	—	14	8	
351	—	—	3	3	
352	—	—	50	41	
353	Apocynum	—	7	6	
354	Cynanchum	—	30	30	
355	—	—	2	2	
356	Rhus Toxicodendron	—	3	2	
357	—	—	35	35	
358	—	—	40	40	
359	Echinocystis	—	45	32	
360	Cucurbita	—	15	15	
361	Lagenaria vulg.		13	14	
362	Bryonia Dioica?		1	1	
363	Umbellifera	—	36	36	
364	Umbellif.	—	1	1	
365	Umb. Siam?	—	2	2	
366	Eryngium Leavenw.		22	22	
367	Spigelia?	—	3	3	
368	Plantago Virginica		1	1	
369	Lupinus	—	1	1	
370	Scirp.	—	1	1	
371	Phlox	—	1	0	

372	Chara vulgaris	4	4
373	—	1	1
			5
		478	
		469	
		678	
		542	
		1027	
		655	
		87	
	Summa	3941	
	Laut Seite	3932	

1845		2507	
1846 1ste Dauer		1461	8402
1846 2te Dauer		3941	
		10909	

11000 Exemplare à ℔ 5ᶜ gibt ℔ 550

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN